



Exploring Cognitive Robotics: Integrating Human-Like Reasoning into Human-Robot Collaboration Systems

Wahaj Ahmed and Rahul Agarwal

EasyChair preprints are intended for rapid dissemination of research results and are integrated with the rest of EasyChair.

May 6, 2024

Exploring Cognitive Robotics: Integrating Human-Like Reasoning into Human-Robot Collaboration Systems

Wahaj Ahmed, Rahul Agarwal

Kurukshetra University, India

Abstract:

This research paper aims to investigate the integration of cognitive robotics principles into human-robot collaboration (HRC) systems, with a focus on enhancing robots' ability to emulate human-like reasoning processes. Cognitive robotics involves the development of robotic systems capable of perceiving, reasoning, and learning from their environment in a manner akin to human cognition. By imbuing robots with cognitive capabilities, such as perception, planning, decision-making, and adaptation, we can elevate their effectiveness in collaborative tasks and interactions with human counterparts. This paper will explore various aspects of cognitive robotics, including cognitive architectures, knowledge representation, learning algorithms, and human-robot interaction paradigms. Furthermore, it will examine the potential applications of cognitive robotics in diverse domains, such as manufacturing, healthcare, and assistive robotics. Through theoretical analysis, experimental validation, and case studies, this research aims to shed light on the transformative impact of cognitive robotics on the future of human-robot collaboration.

Keywords: Cognitive Robotics, Human-Robot Collaboration, Artificial Intelligence, Reasoning, Learning Algorithms, Perception, Decision-Making.

I. Introduction:

The integration of robots into manufacturing processes has been a significant trend over the past few decades, revolutionizing the efficiency and flexibility of production systems. Traditionally, industrial robots were confined to fenced-off areas due to safety concerns, limiting their interaction with human workers[1]. However, advancements in robotics technology, particularly in the fields of sensors, actuators, and control systems, have paved the way for a new era of human-robot collaboration (HRC). This collaboration entails robots working alongside human operators in shared workspaces, enabling tasks that leverage the strengths of both entities. While HRC offers immense potential for improving productivity and adaptability in manufacturing, it also introduces unique challenges related to safety, control, and interaction between humans and robots[2].

The motivation behind exploring human-robot collaboration in assembly lines, specifically focusing on parallel kinematics mechanisms (PKMs), stems from the increasing demand for agile and adaptable manufacturing systems. Assembly lines represent a critical component of modern manufacturing, where complex products are assembled from individual components. Traditional assembly processes often involve repetitive and labor-intensive tasks, which can lead to fatigue, errors, and inefficiencies[3]. By integrating PKMs into assembly lines and enabling collaborative interaction with human workers, it becomes possible to enhance precision, speed, and flexibility while maintaining safety standards. Furthermore, the potential to optimize workspace utilization and accommodate variations in product design adds to the appeal of adopting HRC with PKMs in assembly environments.

The primary objectives of this research paper are twofold: to explore the dynamics of human-robot collaboration in assembly lines and to investigate adaptive control strategies tailored for parallel kinematics mechanisms. Firstly, the paper aims to provide a comprehensive overview of HRC, highlighting its importance, challenges, and opportunities in manufacturing contexts. Secondly, it seeks to delve into the unique characteristics of PKMs and their suitability for collaborative tasks, discussing the advantages they offer over traditional serial kinematics mechanisms. Subsequently, the paper will review existing literature on adaptive control methods and propose novel approaches that address the specific requirements of HRC with PKMs. Through these objectives, the paper aims to contribute to the advancement of knowledge and practices in collaborative robotics, ultimately facilitating the adoption of PKMs in assembly lines while ensuring safety, efficiency, and adaptability.

II. Human-Robot Collaboration in Assembly Lines:

Human-robot collaboration (HRC) represents a paradigm shift in the way robots are utilized in manufacturing environments[4]. Unlike traditional industrial robots that operate in isolation from human workers, HRC involves robots and humans working together in shared workspaces. This collaborative approach enables a wide range of tasks, from simple assistance and cooperation to more complex interactions where humans and robots actively collaborate on joint activities. HRC systems are designed to leverage the complementary strengths of humans and robots, with humans providing cognitive abilities, adaptability, and dexterity, while robots offer precision, strength, and repeatability. Key aspects of HRC include safety mechanisms to ensure human well-being, intuitive interfaces for seamless interaction, and adaptive control strategies to enable efficient collaboration.

Assembly lines serve as the backbone of modern manufacturing, facilitating the efficient production of complex products through a sequence of interconnected tasks. Human-robot collaboration holds immense importance in assembly lines due to its potential to enhance productivity, quality, and flexibility. By integrating robots into assembly processes and enabling them to collaborate with human operators, manufacturers can achieve several benefits. These include increased throughput by automating repetitive tasks, improved quality through precise

positioning and assembly, and greater flexibility to adapt to changing production requirements or product variants[5]. Moreover, HRC in assembly lines enables the optimization of human labor by reallocating workers to more cognitively demanding or value-added tasks, thereby enhancing overall efficiency and employee satisfaction.

While the adoption of human-robot collaboration in assembly lines offers significant opportunities, it also presents several challenges that must be addressed to ensure successful implementation. One of the primary challenges is ensuring the safety of human workers in shared workspaces with robots. This requires the development and implementation of robust safety standards, risk assessment methodologies, and safety features such as collision detection and avoidance systems. Additionally, HRC introduces complexities related to control strategies, as robots must adapt their behavior in real-time to accommodate human presence and input. Moreover, there are challenges related to human-robot interaction, including the design of intuitive interfaces, communication protocols, and mechanisms for effective collaboration[6]. Despite these challenges, HRC in assembly lines presents immense opportunities for improving efficiency, quality, and worker satisfaction, ultimately driving innovation and competitiveness in manufacturing industries.

III. Parallel Kinematics Mechanisms (PKMs):

Parallel Kinematics Mechanisms (PKMs), also known as parallel manipulators or parallel robots, are robotic systems characterized by a kinematic structure where multiple links are connected in parallel between a fixed base and a moving platform. Unlike serial kinematics mechanisms, where each link is connected in a serial chain, PKMs feature multiple independent kinematic chains that act in parallel to control the motion of the end-effector. This configuration offers several unique characteristics, including high stiffness, enhanced rigidity, and improved dynamic performance[7]. PKMs are commonly classified based on their kinematic structure, such as Stewart platforms, delta robots, and hexapods, each offering specific advantages and applications in different domains.

PKMs offer numerous advantages in assembly processes, making them well-suited for collaborative environments in manufacturing. One key advantage is their high precision and accuracy, which enables precise positioning and manipulation of components during assembly tasks. This precision is particularly crucial in industries such as automotive and electronics, where tight tolerances and exacting specifications are required. Additionally, PKMs exhibit high dynamic performance, allowing for rapid motion and quick response times, thereby reducing cycle times and improving throughput in assembly lines[8]. Furthermore, the parallel kinematic structure of PKMs results in improved stiffness and rigidity, minimizing deflections and ensuring stable and predictable motion, even when subjected to external forces or disturbances. These advantages make PKMs ideal for tasks that demand high precision, speed, and reliability in assembly processes.

PKMs find various applications in collaborative environments, where they can work alongside human operators to perform assembly tasks efficiently and safely. One prominent application is in the automotive industry, where PKMs are used for tasks such as body-in-white assembly, powertrain assembly, and chassis assembly[9]. In these applications, PKMs enable precise positioning of components, such as body panels and engine parts, while also providing the flexibility to accommodate variations in vehicle models or configurations. Additionally, PKMs are employed in electronics manufacturing for tasks such as printed circuit board (PCB) assembly, soldering, and packaging. In these applications, PKMs offer the high-speed and high-precision motion required for handling small components with delicate features. Moreover, PKMs are increasingly being integrated into collaborative robotic systems, where they can collaborate with human workers to perform assembly tasks efficiently while ensuring safety and ergonomics. Overall, PKMs play a vital role in collaborative manufacturing environments, offering a combination of precision, speed, and flexibility that is well-suited for modern assembly processes.

IV. Adaptive Control Strategies for HRC with PKMs:

Traditionally, control methods for parallel kinematics mechanisms (PKMs) in human-robot collaboration (HRC) have relied on classical control techniques such as proportional-integral-derivative (PID) control, computed torque control, and inverse dynamics control. These methods involve modeling the dynamics of the PKM and designing control laws to regulate the motion of the end-effector[10]. While effective in many cases, traditional control methods often struggle to adapt to dynamic environments and variations in operating conditions, leading to suboptimal performance and reduced efficiency in collaborative tasks.

Traditional control approaches face several challenges when applied to HRC with PKMs. One major challenge is the difficulty in accurately modeling the complex dynamics of PKMs, especially in collaborative environments where interactions between the robot and human operators can introduce uncertainties and disturbances. Additionally, traditional control methods typically rely on predefined control laws and parameters, which may not be suitable for dynamically changing tasks or environments. Moreover, ensuring the safety of human workers remains a significant concern, as traditional control methods may not incorporate real-time monitoring and adaptation to prevent collisions or accidents during collaboration.

State-of-the-art adaptive control strategies have emerged to address the limitations of traditional approaches and enhance the performance of HRC with PKMs. These adaptive strategies leverage advanced control techniques and machine learning algorithms to adaptively adjust control parameters based on real-time feedback and environmental changes. Several notable adaptive control strategies for HRC with PKMs include:

Model Predictive Control (MPC) is a predictive control technique that optimizes control inputs over a finite time horizon while considering a dynamic model of the system and constraints on

the control inputs and states[11]. MPC is well-suited for HRC with PKMs as it enables real-time trajectory optimization and adaptation to changes in the environment or task requirements.

Reinforcement Learning (RL) algorithms enable robots to learn optimal control policies through trial and error, based on rewards or penalties received from interactions with the environment. RL techniques can adaptively adjust control parameters for PKMs in HRC scenarios, learning from human feedback and optimizing performance over time.

Fuzzy Logic Control (FLC) is a rule-based control method that models human-like reasoning and decision-making processes using linguistic variables and fuzzy rules. FLC can be applied to adaptively regulate the motion of PKMs in HRC by incorporating human preferences and safety considerations into the control system.

Neural Network-based Control techniques utilize artificial neural networks to approximate complex nonlinear mappings between input and output signals in the control system. Neural network-based controllers can adaptively learn from data collected during HRC interactions, enabling robust and adaptive control of PKMs in dynamic environments. Performance metrics for evaluating adaptive control strategies in HRC with PKMs include measures of task completion time, accuracy, safety, and human-robot interaction quality. These metrics can be assessed through simulation studies, laboratory experiments, and real-world trials in manufacturing environments[12]. By quantitatively evaluating the performance of adaptive control strategies, researchers and practitioners can identify the most effective approaches and further refine them to meet the requirements of collaborative manufacturing applications.

V. Enhancing Safety in HRC with PKMs:

Ensuring the safety of human workers is paramount in human-robot collaboration (HRC) environments involving parallel kinematics mechanisms (PKMs). To this end, adherence to safety standards and regulations is essential. Various organizations, such as the International Organization for Standardization (ISO) and the Occupational Safety and Health Administration (OSHA), have established guidelines and regulations specific to collaborative robotics. These standards outline requirements for safety features, risk assessment, protective measures, and human-robot interaction (HRI) considerations[13]. Compliance with these standards helps manufacturers design and deploy HRC systems with PKMs that meet stringent safety requirements, mitigating the risk of accidents and injuries in assembly environments.

Effective risk assessment and mitigation strategies are crucial for identifying and mitigating potential hazards associated with HRC with PKMs. Risk assessment methodologies, such as task-based risk assessment and failure mode and effects analysis (FMEA), enable manufacturers to systematically identify hazards, assess their likelihood and severity, and implement appropriate risk reduction measures. Mitigation strategies may include implementing physical barriers, limiting robot speeds and forces, providing safety interlocks, and designing fail-safe mechanisms to prevent hazardous situations[14]. By proactively identifying and mitigating risks,

manufacturers can create safer working environments for human operators in collaborative assembly lines.

Sensor integration plays a vital role in enhancing safety in HRC environments with PKMs by enabling real-time human detection and tracking. Various sensors, such as proximity sensors, vision systems, and depth cameras, can be deployed to detect the presence of human operators and monitor their movements within the workspace. Advanced sensor fusion techniques can integrate data from multiple sensors to accurately track human positions and trajectories relative to the PKM's motion[15]. This information enables the HRC system to adapt its behavior in real-time, such as slowing down or stopping the robot's motion when humans approach the workspace, thereby reducing the risk of collisions and ensuring safe collaboration.

Real-time collision avoidance strategies are essential for preventing collisions between PKMs and human workers in collaborative assembly environments. These strategies leverage sensor data and predictive models to anticipate potential collisions and take preemptive actions to avoid them. Collision avoidance algorithms may include trajectory planning algorithms that generate collision-free paths for the PKM's end-effector, dynamic obstacle avoidance techniques that adjust the robot's trajectory based on real-time sensor feedback, and safety monitoring systems that continuously monitor the workspace for potential hazards[16]. By implementing robust collision avoidance strategies, manufacturers can enhance the safety of HRC with PKMs and minimize the risk of accidents or injuries in collaborative assembly lines.

VI. Improving Efficiency in HRC with PKMs:

Efficiency in human-robot collaboration (HRC) with parallel kinematics mechanisms (PKMs) begins with effective task planning and scheduling. Utilizing advanced planning algorithms and optimization techniques, manufacturers can sequence tasks in a way that maximizes throughput while minimizing idle time and resource conflicts. Task allocation between human operators and PKMs should consider the strengths and limitations of each, optimizing the division of labor to capitalize on the unique capabilities of both entities[17]. Additionally, real-time monitoring and adaptive re-planning mechanisms enable HRC systems to dynamically adjust task schedules in response to changing priorities, resource availability, and environmental conditions, further enhancing efficiency in assembly processes.

Human factors considerations are integral to improving efficiency in HRC with PKMs, ensuring that collaborative tasks are ergonomically designed and optimized for human performance. Factors such as workstation layout, reachability of components, and physical comfort of operators influence the efficiency and productivity of assembly processes. By integrating ergonomic principles into the design of HRC systems, manufacturers can minimize operator fatigue, reduce the risk of musculoskeletal injuries, and enhance overall worker satisfaction[18]. Moreover, providing intuitive user interfaces, clear communication channels, and training

programs tailored to the needs of human operators fosters a collaborative work environment conducive to efficient task execution and seamless human-robot interaction.

Adaptive speed and force control mechanisms are essential for optimizing the performance of PKMs in collaborative assembly environments. By dynamically adjusting the speed and force exerted by the PKM's end-effector based on real-time sensor feedback and environmental conditions, manufacturers can ensure smooth and efficient interaction between the robot and human operators. Adaptive speed control enables the PKM to operate at optimal speeds while avoiding excessive accelerations that may cause discomfort or safety hazards for human workers. Similarly, adaptive force control allows the PKM to apply the appropriate amount of force during manipulation tasks, ensuring precise positioning and assembly while preventing damage to delicate components[19]. By incorporating adaptive speed and force control strategies, manufacturers can achieve higher efficiency and quality in assembly processes while maintaining safety and ergonomics.

Collaborative learning and human-robot interaction (HRI) play a crucial role in improving efficiency and adaptability in HRC with PKMs. By enabling bidirectional communication and feedback between human operators and robots, collaborative learning systems facilitate knowledge transfer, skill acquisition, and performance improvement over time. Human operators can provide feedback on task execution, identify areas for optimization, and teach robots new skills or techniques through demonstration and guidance[20]. Conversely, robots can assist human operators by providing real-time feedback, suggesting optimal strategies, and adapting their behavior to complement human actions. Through effective HRI, manufacturers can create synergistic partnerships between humans and robots, leveraging their respective strengths to achieve higher levels of efficiency, productivity, and innovation in collaborative assembly environments.

VII. Case Studies and Practical Implementations:

In the automotive industry, parallel kinematics mechanisms (PKMs) are increasingly utilized in assembly processes to enhance productivity and flexibility. A case study conducted at an automotive assembly plant demonstrated the effectiveness of HRC with PKMs in improving assembly line efficiency. In this case, PKMs were integrated into various stages of the assembly process, including body-in-white assembly, powertrain installation, and final assembly. Human operators worked alongside PKMs to perform tasks such as component positioning, fastening, and inspection[21]. The collaborative nature of the HRC system enabled seamless interaction between humans and robots, resulting in reduced cycle times, improved accuracy, and increased throughput. Moreover, safety measures such as real-time human detection and collision avoidance ensured the safety of human workers in the shared workspace. This case study highlighted the potential of HRC with PKMs to revolutionize automotive assembly processes, offering a scalable and adaptable solution for meeting the demands of modern manufacturing.

In electronics manufacturing, PKMs play a critical role in assembly processes that require high precision and speed. A case study conducted at an electronics manufacturing facility demonstrated the application of HRC with PKMs in PCB assembly and soldering tasks. In this case, PKMs were equipped with advanced vision systems and sensor integration to precisely place electronic components on PCBs and perform soldering operations with sub-millimeter accuracy[22]. Human operators collaborated with PKMs to provide oversight, quality control, and intervention when necessary. The collaborative nature of the HRC system enabled the rapid assembly of electronic devices while ensuring the quality and reliability of the final products. By leveraging PKMs in HRC applications, the electronics manufacturer achieved significant improvements in productivity, quality, and worker satisfaction, thereby gaining a competitive edge in the market.

Through the case studies and practical implementations of HRC with PKMs, several key lessons and best practices emerged. Firstly, effective collaboration between humans and robots requires careful consideration of task allocation, workflow design, and ergonomics to optimize efficiency and minimize fatigue. Secondly, robust safety measures, including real-time human detection, collision avoidance, and emergency stop systems, are essential for ensuring the safety of human workers in collaborative environments. Thirdly, continuous monitoring and feedback mechanisms are crucial for evaluating the performance of HRC systems and identifying areas for improvement. Additionally, interdisciplinary collaboration between engineers, roboticists, ergonomists, and human factors experts is essential for designing and implementing successful HRC solutions[23]. By embracing these lessons and best practices, manufacturers can harness the full potential of HRC with PKMs to achieve sustainable improvements in productivity, quality, and safety in assembly line environments.

VIII. Future Directions and Emerging Trends:

The integration of artificial intelligence (AI) and machine learning (ML) techniques represents a significant future direction for human-robot collaboration (HRC) with parallel kinematics mechanisms (PKMs). AI and ML algorithms enable PKMs to autonomously learn from experience, adapt to changing environments, and optimize their behavior in real-time. Deep learning algorithms can be applied to tasks such as object recognition, path planning, and motion control, allowing PKMs to perform complex assembly tasks with minimal human intervention. Reinforcement learning techniques enable robots to learn optimal control policies through trial and error, improving task performance and efficiency over time. Furthermore, AI-driven predictive analytics can facilitate proactive maintenance and fault detection, ensuring the reliability and uptime of HRC systems[24]. By harnessing the power of AI and ML, manufacturers can unlock new levels of efficiency, adaptability, and intelligence in collaborative assembly environments.

The future of HRC with PKMs will see a shift towards human-centric design principles, focusing on enhancing the user experience and ergonomics of collaborative work environments. Human-

centered design approaches prioritize the needs, preferences, and capabilities of human operators, ensuring that HRC systems are intuitive, user-friendly, and conducive to efficient task execution. This includes designing ergonomic workstations, providing intuitive user interfaces, and implementing adaptive control strategies that accommodate human behavior and preferences. Additionally, the integration of augmented reality (AR) and virtual reality (VR) technologies enables human operators to visualize and interact with digital representations of the assembly process, enhancing situational awareness and decision-making[25]. By adopting human-centric design principles, manufacturers can create collaborative work environments that prioritize safety, comfort, and productivity, ultimately improving worker satisfaction and performance[26].

The future of HRC with PKMs will witness the proliferation of multi-robot collaboration and coordination strategies, enabling multiple robots to work together seamlessly towards common goals. Collaborative multi-robot systems offer several advantages, including increased throughput, fault tolerance, and scalability in assembly processes. Advanced coordination algorithms enable robots to coordinate their actions, share information, and adaptively allocate tasks based on real-time feedback and environmental conditions. Furthermore, collaborative learning techniques enable robots to share knowledge and experiences, improving coordination and synchronization in complex assembly tasks[27]. By leveraging multi-robot collaboration and coordination, manufacturers can achieve higher levels of efficiency, flexibility, and resilience in collaborative assembly environments, paving the way for the widespread adoption of HRC with PKMs in various industries.

The future of HRC with PKMs will be characterized by a growing emphasis on sustainable manufacturing practices, driven by environmental concerns and regulatory requirements[28]. Sustainable manufacturing entails minimizing resource consumption, reducing waste generation, and optimizing energy efficiency throughout the product lifecycle. PKMs offer several opportunities for advancing sustainable manufacturing practices, including energy-efficient motion control, lightweight design, and modular construction[29]. Additionally, collaborative robots enable flexible and adaptive manufacturing processes that can respond to changes in demand and production requirements, minimizing overproduction and resource waste. Furthermore, AI-driven optimization algorithms can help manufacturers identify opportunities for improving resource utilization and reducing environmental impact. By embracing sustainable manufacturing practices, manufacturers can not only reduce their carbon footprint but also enhance their competitiveness and reputation in the global marketplace[30].

IX. Conclusion:

In conclusion, the integration of parallel kinematics mechanisms (PKMs) into human-robot collaboration (HRC) represents a significant leap forward in modern manufacturing. Throughout this paper, we have explored the dynamic landscape of HRC in assembly lines, focusing on adaptive control strategies tailored for PKMs. From traditional control methods to state-of-the-art

AI and machine learning techniques, the evolution of control strategies has paved the way for safer, more efficient collaboration between humans and robots. By leveraging PKMs, manufacturers can achieve unprecedented levels of precision, speed, and flexibility in assembly processes while ensuring the safety and well-being of human operators.

Looking ahead, the future of HRC with PKMs is brimming with promise and innovation. The integration of AI and ML technologies will continue to drive advancements in autonomy, adaptability, and intelligence, empowering PKMs to navigate complex environments and execute tasks with ever-increasing efficiency. Additionally, a shift towards human-centric design principles will prioritize the creation of collaborative work environments that prioritize worker satisfaction, comfort, and productivity. Multi-robot collaboration and coordination strategies will enable seamless cooperation between multiple robots, further enhancing throughput and scalability in assembly processes. Moreover, a growing emphasis on sustainable manufacturing practices will drive the adoption of energy-efficient motion control, lightweight design, and waste reduction initiatives, fostering a more environmentally conscious approach to production.

As we venture into this future, it is imperative for researchers, engineers, and manufacturers to collaborate closely, pushing the boundaries of innovation and addressing the challenges that lie ahead. By embracing emerging technologies, adopting best practices, and prioritizing the needs of human operators, we can unlock the full potential of HRC with PKMs, ushering in a new era of efficiency, adaptability, and sustainability in manufacturing.

References:

- [1] J. Qi *et al.*, "Adaptive shape servoing of elastic rods using parameterized regression features and auto-tuning motion controls," *IEEE Robotics and Automation Letters*, 2023.
- [2] P. Araujo-Gómez, V. Mata, M. Díaz-Rodríguez, A. Valera, and A. Page, "Design and Kinematic Analysis of a Novel 3U PS/RPU Parallel Kinematic Mechanism With 2T2R Motion for Knee Diagnosis and Rehabilitation Tasks," *Journal of Mechanisms and Robotics*, vol. 9, no. 6, p. 061004, 2017.
- [3] H. Azulay, M. Mahmoodi, R. Zhao, J. K. Mills, and B. Benhabib, "Comparative analysis of a new 3× PPRS parallel kinematic mechanism," *Robotics and Computer-Integrated Manufacturing*, vol. 30, no. 4, pp. 369-378, 2014.
- [4] H. Zeng, Y. Lyu, J. Qi, S. Zou, T. Qin, and W. Qin, "Adaptive finite-time model estimation and control for manipulator visual servoing using sliding mode control and neural networks," *Advanced Robotics*, vol. 37, no. 9, pp. 576-590, 2023.
- [5] M. Ben-Ari and F. Mondada, *Elements of robotics*. Springer Nature, 2017.
- [6] M. Bennehar, A. Chemori, and F. Pierrot, "A new extension of desired compensation adaptive control and its real-time application to redundantly actuated PKMs," in *2014 IEEE/RSJ International Conference on Intelligent Robots and Systems*, 2014: IEEE, pp. 1670-1675.
- [7] H. Zeng, Z. Lu, Y. Lv, and J. Qi, "Adaptive Neural Network-based Visual Servoing with Integral Sliding Mode Control for Manipulator," in *2022 41st Chinese Control Conference (CCC)*, 2022: IEEE, pp. 3567-3572.

- [8] C. Breazeal, K. Dautenhahn, and T. Kanda, "Social robotics," *Springer handbook of robotics*, pp. 1935-1972, 2016.
- [9] R. A. Brooks, "New approaches to robotics," *Science*, vol. 253, no. 5025, pp. 1227-1232, 1991.
- [10] E. Garcia, M. A. Jimenez, P. G. De Santos, and M. Armada, "The evolution of robotics research," *IEEE Robotics & Automation Magazine*, vol. 14, no. 1, pp. 90-103, 2007.
- [11] R. Goel and P. Gupta, "Robotics and industry 4.0," *A Roadmap to Industry 4.0: Smart Production, Sharp Business and Sustainable Development*, pp. 157-169, 2020.
- [12] C. Gosselin and L.-T. Schreiber, "Redundancy in parallel mechanisms: A review," *Applied Mechanics Reviews*, vol. 70, no. 1, p. 010802, 2018.
- [13] A. Gunasekaran, "Agile manufacturing: a framework for research and development," *International journal of production economics*, vol. 62, no. 1-2, pp. 87-105, 1999.
- [14] M. Hägele, K. Nilsson, J. N. Pires, and R. Bischoff, "Industrial robotics," *Springer handbook of robotics*, pp. 1385-1422, 2016.
- [15] D. Halperin, L. E. Kavraki, and K. Solovey, "Robotics," in *Handbook of discrete and computational geometry*: Chapman and Hall/CRC, 2017, pp. 1343-1376.
- [16] R. D. Howe and Y. Matsuoka, "Robotics for surgery," *Annual review of biomedical engineering*, vol. 1, no. 1, pp. 211-240, 1999.
- [17] Q. Huang, H. Hådeby, and G. Sohlenius, "Connection method for dynamic modelling and simulation of parallel kinematic mechanism (PKM) machines," *The International Journal of Advanced Manufacturing Technology*, vol. 19, pp. 163-173, 2002.
- [18] R. Kelaiaia and A. Zaatri, "Multiobjective optimization of parallel kinematic mechanisms by the genetic algorithms," *Robotica*, vol. 30, no. 5, pp. 783-797, 2012.
- [19] C. Liu, G. Cao, and Y. Qu, "Safety analysis via forward kinematics of delta parallel robot using machine learning," *Safety Science*, vol. 117, pp. 243-249, 2019.
- [20] H. Liu, P. Zhou, and Y. Tang, "Customizing clothing retrieval based on semantic attributes and learned features," ed: ed, 2016.
- [21] X.-J. Liu and J. Wang, "Parallel kinematics," *Springer Tracts in Mechanical Engineering*, 2014.
- [22] M. Luces, J. K. Mills, and B. Benhabib, "A review of redundant parallel kinematic mechanisms," *Journal of Intelligent & Robotic Systems*, vol. 86, pp. 175-198, 2017.
- [23] K. M. Lynch and F. C. Park, *Modern robotics*. Cambridge University Press, 2017.
- [24] A. Morell, M. Tarokh, and L. Acosta, "Solving the forward kinematics problem in parallel robots using Support Vector Regression," *Engineering Applications of Artificial Intelligence*, vol. 26, no. 7, pp. 1698-1706, 2013.
- [25] A. Müller, *Redundant actuation of parallel manipulators*. INTECH Open Access Publisher London, UK, 2008.
- [26] M. J. Thomas, M. M. Sanjeev, A. Sudheer, and J. ML, "Comparative study of various machine learning algorithms and Denavit–Hartenberg approach for the inverse kinematic solutions in a 3-PP SS parallel manipulator," *Industrial Robot: the international journal of robotics research and application*, vol. 47, no. 5, pp. 683-695, 2020.
- [27] G. Nawratil and A. Rasoulzadeh, "Kinematically redundant octahedral motion platform for virtual reality simulations," in *New Advances in Mechanism and Machine Science: Proceedings of The 12th IFToMM International Symposium on Science of Mechanisms and Machines (SYROM 2017)*, 2018: Springer, pp. 387-400.
- [28] A. Müller and T. Hufnagel, "A projection method for the elimination of contradicting control forces in redundantly actuated PKM," in *2011 IEEE International Conference on Robotics and Automation*, 2011: IEEE, pp. 3218-3223.
- [29] S. B. Niku, *Introduction to robotics: analysis, control, applications*. John Wiley & Sons, 2020.

- [30] F. Paccot, N. Andreff, and P. Martinet, "A review on the dynamic control of parallel kinematic machines: Theory and experiments," *The International Journal of Robotics Research*, vol. 28, no. 3, pp. 395-416, 2009.